TECHLABSYSTEMS



FREENESS TESTER "Schopper-Riegler" type SR-10 model

To determine the refining degree and draining velocity of paper fibres by Schopper-Riegler method

According to Standards: ISO 5267/1 - SCAN C 19/M3 - NF Q 50-003 - BS 6035/1...

- ☐ Easy of operation and Cleaning
- □ Robust Stainless Steel version
- □ Ergonomic

DEFINITION

The Schopper-Riegler test quickly provides an idea of the refining degree relating to the speed of the drainage of the diluted paper suspension.

The speed of drainage is related to the surface conditions and the expansion of fibres and provides a useful indicator, of the amount of mechanical treatment (refining) of the cellulose paste.

This method is applicable to all types of pastes in watery suspension, except for extremely short fibre pastes.


The scale of measurement in degrees SR.:

- A drainage of 1000 ml corresponds to 0 ºSR
- A drainage of 0 ml corresponds to 100 °SR
- A drainage of each 10 ml of water corresponds to 1 ºSR.

SPECIFICATIONS

- Cylinder capacity: 1000 ml. above the sieve plate
- Funnel holes: 2 holes, one below and other lateral





Dimensions: 400 x 300 x 850 mm (Ancho x Fondo x Alto)
Box for transport: 500 x 400 x 1050 mm (Ancho x Fondo x Alto)

Net/Gross weight: 38 Kg / 59 Kg



> Schopper-Riegler type Freeness Tester SR-10 model

> 2 Acrylic Glass measuring Cylinders

* TECHLAB SYSTEMS reserves the right to do any technical modification without advance notice



Doc. : SR10-1-CAT-I-R2